# 1Rhodora

#### JOURNAL OF

## THE NEW ENGLAND BOTANICAL CLUB

Vol. 18.

October, 1916.

No. 214.

## SOME HISTORICAL DATA REGARDING THE SWEET BAY AND ITS STATION ON CAPE ANN.

### GEORGE G. KENNEDY.

[During the preparation of the current installment of the Reports on the Flora of the Boston District the Committee in charge of this work of the New England Botanical Club received the suggestion that as Magnolia virginiana L.— a species long familiar under the now discarded name of M. glauca L.— was included in this section of the catalogue and as the circumstances regarding the discovery of its isolated and highly interesting station near Gloucester, Massachusetts, had been the subject of some doubt and controversy, it would be desirable at this time to assemble the facts concerning the unhappily vanishing northeastern colony of this noteworthy plant — one of the rarest in the flora of New England. Acting upon this excellent suggestion the Committee applied to Dr. George Golding Kennedy, who was known to have information upon the subject.

At the request of the Committee and from his own extensive botanical and historical library, rich in Americana, Dr. Kennedy has most kindly sought out and brought together many references to the Sweet Bay. While he disclaims originality in his article it is confidently believed that the facts here assembled from sources, several of which are rare and accessible to few, will prove decidedly welcome to the readers of Rhodora. Their points of chief interest are in fixing the date at which the station was first noticed, as well as in clarifying the identity of the discoverer; also in placing on record the condition of the colony at different dates within recent decades. It is hoped that more general knowledge of the history and biological interest of this vanishing member of the New England flora will stimulate care in the protection of the remaining individuals and will promptly stop any tendency to deplete the station further.— Ep.]

The beauty, fragrance and novelty of the Magnolias of the Southern states early attracted the attention of the explorers, farmers and botanists. Plumier in his Nova plantarum Americanarum genera, p. 36, pl. 7 (Paris, 1703) gave the name in honor of Magnol, a professor of botany at Montpelier, France, and also gave what for the times was a good plate of the details of the structure of the flower. He says he has seen but one species. Linnaeus adopted most of Plumier's generic names, and among them *Magnolia*.

Clayton in his Flora Virginica, ed. 2, p. 83 (1762) cites (although without binomial designations) several species of the genus, among them *Magnolia glauca*, the shrub or low tree popularly called Swamp Laurel or Beaver Tree, which was in fact the most plentiful in number and most fragrant in flower, as well as most kindly disposed to transplanting.

Many gardens in England, France and Spain had plants of American origin before the end of the 17th century. In the next century the pupils of Linnaeus spread themselves over a large part of Europe as well as over New Spain and the more easily explored coast line of the Atlantic Ocean from Florida to the islands of the St. Lawrence valley. Of these travellers Peter Kalm kept a journal of his wanderings and discoveries. Under the date of Oct. 20, 1748, he gives two pages (vol. i. pp. 160–161 in Forster's English translation, Ed. 2) to the Magnolia, which must have been pleasant reading for those old colonial days.

"Oct. the 20th. The Beaver tree is to be met with in several parts of Pensylvania and New Jersey, in a poor swampy soil, or on wet meadows. Dr. Linnaeus calls it Magnolia glauca. Both the Swedes and English call it Beaver tree, because the root of this tree is the dainty of beaver, which are caught by its means, however the Swedes sometimes gave it a different name, and the English as improperly called it Swamp Sassafras and White Laurel. The trees of this kind dropt their leaves early in autumn, though some of the young trees kept them all the winter. I have seldom found the beaver tree north of Pensylvania, where it begins to flower about the end of May. The scent of its blossoms is excellent, for by it you can discover within three quarters of an English mile, whether these little trees stand in the neighborhood, provided the wind be not against it. For the whole air is filled with this sweet and pleasant scent. It is beyond description agreeable to travel in the woods about that time, especially towards night. They retain their flowers for three weeks, and even longer, according to the quality of the soil on which the trees stand; and, during the whole of their being in blossom, they spread their odoriferous exhalations. The berries likewise look very fine when they are ripe, for they have a rich red color, and hang in bunches on slender stalks. The cough, and other pectoral diseases, are cured by putting the berries into rum or brandy, of which a draught every morning may be taken; the virtues of this remedy were universally extolled, and even praised for their salutary effects in consumptions. . . . and it was thought that a decoction of it could stop the dysentery. Persons who had caught cold, boiled the branches of the beaver tree in water, and drank it to their great relief."

Mark Catesby in his considerable and important work The Natural History of Carolina, Florida, and the Bahama Islands (2 vols. folio, London, 1771) gives at page 39 an account of the Sweet Flowering Bay with an excellent plate and description. A portion of the text runs: "They [i. e. these trees] grow naturally in moist places, and often in shallow water; and what is extraordinary, they being removed on high dry ground, become more regular and handsomer trees, and are more prolific of flowers and fruit. They usually lose their leaves in winter, except it be moderate."

"This beautiful flowering tree is a native both of Virginia and Carolina and is growing at Mr. Fairchild's in Hoxton and Mr. Collinson's at Peckham [England] ... requiring no protection in our coldest winters."

One of the earliest volumes on Materia Medica Americana, namely that of David Schoepf, printed at Erlangen, Bavaria, in 1787, has on page 91 an old-fashioned list of pharmaceutical uses of *Magnolia glauca*, from the aromatic bitter of its bark to its ashes made into an ointment for ulcers. This book shows at least how much value was given to the very noticeable tree.

On pages 139 and 140 in the first edition of his Plants of Boston, published in 1814, Dr. Jacob Bigelow says of Magnolia glauca: "The only species of this superb genus, that has been found native in our climate. It attains the height of a dozen feet, but is sometimes killed down to the roots by severe winters. . . . The bark is highly aromatic, and possesses medicinal properties. It grows plentifully in a sheltered swamp at Gloucester, Cape Ann, twenty five miles from Boston, which is perhaps its most northern boundary.— June, July."

Magnolia glauca is similarly treated in the 2nd edition of the same

work in 1824, and in the 3rd edition in 1840; also in Bigelow's Medical Botany, vol. ii. pp. 67–70, where it is called an aromatic tonic.

Stephen Elliott in his Sketch of the Botany of South Carolina and Georgia, vol. ii. p. 37 (1821), says: "This is probably the most fragrant plant of our forests. It grows in great profusion along the margin of the rich swamps which border our rivers, and in the morning and evening during the period of its flowering, the atmosphere of our streams is often literally perfumed with its fragrance."

"Grows in swamps and wet soils, though extremely abundant in the low country of Carolina — it is very rarely found upon the islands which border the sea coasts."

Darlington in his classical Flora Cestrica, ed. 3, p. 8 (1853), made the following comments upon the species: "This delightful little tree, though abundant in the swamps of New Castle County, on the south of us, is rare in Chester County."

Dr. Francis Peyre Porcher in his Resources of the Southern Fields and Forests (Charleston, So. Car., 1863), pp. 36–37, speaks almost entirely of its pharmaceutical value in many cases of a typhoidal character: "The bark of the root, according to Griffith, was employed by the Indians to fulfil a variety of indications; the warm decoction acts as a gentle laxative, and subsequently as a sudorific, whilst the cold decoction, powder of, or tincture, is tonic. . . . It is supposed by many residing in the lower portions of this state that this tree prevents the water of bogs and galls from generating malaria. It certainly seems that the water is much clearer in which the bay tree grows."

George B. Emerson in his Trees and Shrubs of Massachusetts, ed. 2 (1875) and without change ed. 3 (1878), p. 603, says,

"A sheltered swamp near Cape Ann, not far from the sea, is thought to be the most northern habitation of this plant, and until lately was supposed to be the only one in Massachusetts. It has recently been found at the distance of some miles, in another swamp, in the midst of deep woods in Essex."

At this point there is a reference to the following foot-note.

"It is said to have been found, in a single spot, in the county of York, Maine."

No specimen, however, from Maine exists in any herbarium to my knowledge. The text continues: "From these situations it will soon be completely extirpated. The fragrant flowers and even the leaves are in such request, that, early in the flowering season, numbers of

persons resort to the swamps in quest of them, and great quantities are annually carried to Salem and Boston for sale. The gatherers of the flower are regardless of the preservation of the trees; and in a single season I have noticed scores of them broken down and almost entirely destroyed."....

"No plant is, at every season and in every condition, more beautiful. The flower, two or three inches broad, is as beautiful and almost as fragrant as the water lily."

John Robinson in his Flora of Essex County (Salem, Mass., 1880), p. 31, under *Magnolia glauca* gives the following: "Gloucester and swamps towards Essex. First brought to notice by Rev. Manasseh Cutler during the last century."

The date in Mr. Cutler's Journal is given as Monday, July 28, 1806; so that the reading should have been "in the early years of the [then] present century" as no exact date was then available.

Lester F. Ward in his Guide to the Flora of Washington and Vicinity (1881), p. 63, makes the following record regarding *Magnolia* in the region of which he was writing. "In all swamps, but being rapidly destroyed by people in search of the flowers."

The species is apparently rare in Tennessee, as Gattinger in his Flora of Tennessee (1901), p. 79, gives but one station for it, namely, "Madison Co. W. Tenn. S. M. Bain."

In C. S. Sargent's Manual of the Trees of North America (1905), p. 318, occurs the following: "Most abundant and of its largest size in the interior of the Florida peninsula on fertile hummocks rising above the level of the Pine-lands."

"Often cultivated as a garden plant in the eastern states and in Europe."

In Garden and Forest, vol. iii. p. 23 (1890), there is a valuable note by Mr. T. O. Fuller of Needham, Mass., which I copy in full.

"To the Editor of Garden and Forest: Sir.—In regard to the Massachusetts station of Magnolia glauca, noticed in Garden and Forest (ii. 612), the following may be of interest to some of your readers:

'The first specimen of the *Magnolia glauca* noticed in Massachusetts was brought from Cape Ann Woods in the summer of 1805, by the late Chief Justice Parsons. He observed a number of plants in flower as he was journeying on that road, and being struck with their beautiful appearance, gathered a few, which he brought to Boston for examination by his friends. I happened to be at his house on the day he returned from his journey. He showed me

his acquisition, and wished to know what it was. I took one of the specimens home for examination, and found it to be  $Magnolia\ glauca$ —a most unexpected inhabitant of our region.  $J.\,D.$ '

The above is a marginal note, written by Judge John Davis, of Boston, in his copy of the first edition of Bigelow's 'Florula Bostoniensis' (a presentation copy to 'Judge Davis from his friend and serv't, the author') on the page where the *Magnolia* is described."

In Dr. Cutler's Diary occurs the following:

"July 28, 1806. Monday.

Hon Theophilus Parsons informed me by letter last evening that he had found the Magnolia glauca in a swamp on the road from Manchester to Gloucester. I set out in search of it. Dined at Captain Ingolson's, at Kettle Cove, where Mr. Goldsmith brought me a tree of it, without knowing I was in search of it. Found it in plenty, in two swamps on the new read [sic] to the left.

Went to Fresh-Water Cove, near the harbor of Gloucester, made a large botanical collection, and returned."

We are fortunate in having a much fuller account of this discovery in the Life, Journals and Correspondence of Rev. Manasseh Cutler, L.L.D. (published in Cincinnati, in 1888, by Robert Clarke & Co.). The following letter from Judge Parsons to Dr. Cutler, written in July, 1806, I will quote entire.

#### Reverend and Dear Sir:

In riding through the woods in Gloucester, that are between Kettle-Cove and Fresh-Water Cove I discovered a flower to me quite new and unexpected in our forests. This was last Tuesday week [July 22, 1806]. A shower approaching prevented my leaving the carriage for examination, but on my return, on Friday last, I collected several of the flowers, in different stages, with the branches and leaves, and on inspection it is unquestionably the Magnolia glauca. Mr. Epes Sargent has traversed these woods for flowers and not having discovered it, supposes it could not have been there many years. It was unknown to the people of Gloucester and Manchester until I showed it to them. I think you have traversed the same woods herborizing. Did you discover it? If not, how long has it been there? It grows in a swamp on the western or left side of the road as you go from Manchester to Gloucester, and before you come to a large hill over which the road formerly passed. It is so near the road as to be visible even to the careless eye of the traveler. Supposing the knowledge of this flower, growing so far north, might gratify you, I have made this hasty communication.

Your humble servant,

THEOPH. PARSONS.

This letter of Judge Parsons conclusively fixes the date of the discovery of the Sweet Bay in Gloucester as July 22nd, 1806, and shows clearly the identity of the discoverer as the Hon. Theophilus Parsons. From a Life of Judge Parsons it is clear that the study of plants was one of his favorite recreations. At the time of the discovery of the Magnolia he was fifty-six years of age and was living on Pearl Street, Boston, in a house with a large garden.

The date 1805, given by Judge Davis, in the note cited above, is plainly an error. The marginal memorandum in his copy of Bigelow's Florula Bostoniensis written a number of years after the discovery can surely carry little weight as evidence compared with a letter written by the discoverer at the time of the discovery.

In the Life of Rev. Manasseh Cutler, vol. ii. p. 359, one of his grandchildren tells of his home at Hamilton, Mass., with his garden where were to be seen many transplanted trees and shrubs. "Here grew the pawpaw and persimmon by the side of strange foreign plants; and in a swamp, not distant, flourished a transplanted Magnolia, and in the garden a large tulip-tree."

Regarding the origin of the colony and its present sadly depleted state the following communications are of much interest.

In Garden and Forest, vol. ii. p. 363 (1889) J. G. Jack gives nearly a page on the Magnolia of Essex Co., Mass., including some parts of its early history. And an unsigned correspondent in the same volume on page 612 gives some suggestive hints as to its possible introduction. I copy this note complete. "Magnolia Swamp contains several hundred acres, and it is one and a half miles in length and from ten to over 100 rods in width. I am of the opinion that this swamp has furnished the shrub to all the others. In regard to three of the smaller swamps I know that this is a fact, the Magnolia shrubs having been transplanted by men. The inhabitants of Gloucester are firm in the belief that Magnolia glauca is a native shrub, but I cannot think so.

I believe it was introduced by the old settlers, some of whom may have lived in and removed from a more southern state. 'The old Salem road' deserted by the travelling public for over 100 years, skirts the eastern side of Magnolia Swamp. Along the line of this road are the ruins of old cellars, and in the swamp opposite one of the cellars, near a spring, may be found Magnolias which appear the oldest in the region. The root-crowns below the moss are often found to be two feet in diameter. In no other place can I find such a growth, and

it is here, I think, that the shrub first started. It must be evident to any careful observer that Magnolia glauca is struggling here in an unnatural climate. The primary roots grow straight down into the muck, and in the fall are thickly covered with rootlets, snowy white in color. In the spring these rootlets are mostly dead, and a greater part of young shoots die down to the moss, and a certain per cent of the old plants are winter-killed, which indicates that there is no harmony between shrub and climate."

Mr. Walter Deane has given me the following letter from Mr. C. E. Faxon which shows the condition of the swamp in the summer of 1913.

April 17, 1916.

Dear Mr. Deane:

I have just found in Garden and Forest an interesting letter from Mr. Fuller giving a marginal note from Judge Davis's copy of Bigelow's Plants of Boston. . . . When I first visited the swamp some 45 years ago there were plenty of good specimens all about, sometimes 15 feet tall or more. It was easy to find them, as the boys who sold the flowers on the Boston trains had made trails from one plant to another all over the swamp.

When I visited the place with Dr. Kennedy two years ago we found with the aid of the Tree Warden of the town, only two little plants a few feet high that had escaped the Magnolia hunters — such had been the destruction!

Yours faithfully,

C. E. FAXON.

From this it is plainly evident that unless some prompt measures are taken for its safety we shall very soon have seen the last of this delightful flower in our Massachusetts flora.

READVILLE, MASSACHUSETTS.

An early Flowering of Rudbeckia hirta.— On April 25, 1916, I discovered on the campus of the Massachusetts Agricultural College a plant of *Rudbeckia hirta* (Black-eyed Susan) in bloom. It had a very short stem and was found in an exposed, sunny situation on a slope. Gray gives the time of blooming of this species as from June to September.— William S. Coley, Massachusetts Agricultural College, Amherst, Massachusetts.